

* REPRINT *

Work Order ID 136271

136271

Page 1

Item ID: D044-662-013

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: R44 Bearpaws - Large

Start Date: 8/18/15 Start Qty: 2.00

2

Cust Item ID:

Required Date: 8/28/15 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan:

Date: 15-9-22

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN-D044-662	E								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPPD044-662-013								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									

DAS
27
9-89

15-09-23

DAS
38
9-89

2

15-09-29

CHG 002

DAS
02
9-89

DAS
27
9-89

SEP 22 2015

2

DAS
38
9-89

15-09-29

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Work Order ID 136271

Tuesday, September 22, 2015 12:55:12 PM

136271

Page 2

Item ID: D044-662-013

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: R44 Bearpaws - Large

Stop

NS2

Start Date: 8/18/15 Start Qty: 2.00

2

Cust Item ID:

Required Date: 8/28/15 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp
DAS
02
9-89

130

130

Packaging

Packaging

0.00

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D044-662-013
LOCATION: FG014

SEP 29 2015

140

140

QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

SEP 29 2015

SK 20150929

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐		☐	Pressure/Forced	☐	Temperature/Cure
Design ☐	☐	Operator ☐		☐	Bending	☐	Set-up
Doc/Data ☐	☐	Offset/Setup ☐		☐	Centre Not Concentric	☐	BOM/Route
Equip/Tooling ☐	☐	Supplier ☐		☐	Cracks	☐	Broken/Damage/Defect
Handling/Pre ☐	☐	Training ☐		☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified
Material ☐	☐	Use for Testing ☐		☐	Cuffs	☐	Contamination
Internal Transport ☐	☐	Poor Information ☐		☐	Crushing	☐	Countersink
Tribal Knowledge ☐	☐	Rushing ☐		☐	Heat Treat	☐	Cut Too Short
LOA ☐	☐	Product Improvement ☐		☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear
Substation ☐	☐	Process Improvement ☐		☐	Marks/Chatter	☐	Drill Holes
Past Expiry Date ☐	☐	Manufacturing Process ☐		OTHER : _____			
Misidentified ☐	☐	Past Due ☐					

Picklist Print

Tuesday, September 22, 2015 12:55:16 PM

Page 1

Work Order ID: 136271

136271

Parent Item: D044-662-013

D044-662-013

Parent Item Name: R44 Bearpaws - Large

Start Date: 8/18/15

Required Date: 8/28/15

Start Qty: 2.00

Required Qty: 2.00

Comments:

IPP Rev:A New Issue 07-01-30 JLM

IPP Rev:B As per IIN 044-662 REV D 07-03-28 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4953-1 *D4953-1* Cushion	DAS 38 9-89	Manufactured	No			110	Each	12.0000	4	8	DAS 27 9-89		DAS 02 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST545		12							
				131442		4							
				133323		8							
D3601-1 *D3601-1* Radius Block	DAS 38 9-89	Manufactured	No			110	Each	57.0000	8	16	DAS 27 9-89		DAS 02 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST045		57							
				133516		41							
				134970		16							
D2529 *D2529* Washer	DAS 38 9-89	Manufactured	No			110	Each	331.0000	8	16	DAS 27 9-89		DAS 02 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST007		131							
				131945		131							
				ST008		200							
				135846		100							
				136774		100							

SEP 22 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

Picklist Print

Tuesday, September 22, 2015 12:55:16 PM

Page 2

Work Order ID: 136271

136271

Parent Item: D044-662-013

D044-662-013

Parent Item Name: R44 Bearpaws - Large

Start Date: 8/18/15

Required Date: 8/28/15

Start Qty: 2.00

Required Qty: 2.00

D3556-1

Manufactured No

110 Each 24.0000 4 8

D3556-1

DAS
38
9-89

Clamp

**

DAS
02
9-89

Location

Loc Qty

Loc Code

ST542

24

133207

24

D3529-1

Manufactured No

110 Each 0.0000 2 4

D3529-1

DAS
38
9-89

Bearpaw

**

DAS
02
9-89

AN4-15A

Purchased No

110 Each 136.0000 4 8

AN4-15A

DAS
38
9-89

Bolt

**

DAS
02
9-89

Location

Loc Qty

Loc Code

GA

40

120449

40

ST343

96

m132551

96

NAS1149D0463J

Purchased No

110 Each 2,597.000 8 16

NAS1149D0463J

DAS
38
9-89

WASHER

**

DAS
02
9-89

Location

Loc Qty

Loc Code

GA

41

M129390

41

ST260a

1000

M133077

1000

ST269

1556

M129682

86

M130799

371

M132035

86

M132317

125

M132677

888

DAS
27
9-89

SEP 22 2015

Tuesday, September 22, 2015 12:55:16 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

Picklist Print

Tuesday, September 22, 2015 12:55:16 PM

Page 3

Work Order ID: 136271

Parent Item: D044-662-013

Parent Item Name: R44 Bearpaws - Large

136271

D044-662-013

Start Date: 8/18/15

Required Date: 8/28/15

Start Qty: 2.00

Required Qty: 2.00

AN4-14A

Purchased

No

110

Each

272.0000

4

8

AN4-14A

Bolt

DAS
38
9-89

**

DAS
27
9-89

DAS
02
9-89

Location

Loc Qty

Loc Code

FG

5

122141

5

ST325A

200

M132677

100

M133011

100

ST344

67

M132640

67

8

MS21042L4

Purchased

No

110

Each

1,700.000

8

16

MS21042L4

Locknut

DAS
38
9-89

**

DAS
27
9-89

DAS
02
9-89

Location

Loc Qty

Loc Code

FP001

2

m124231

2

GA

112

m127813

112

ST260a

170

m130799

56

m131803

6

m132262

108

ST305

1416

m128300

8

m130388

7

m130922

97

m131618

12

m132123

56

m132382

1236

16

SEP 22 2015

Tuesday, September 22, 2015 12:55:16 PM

Shop Packet Print

Page 3

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause				FAULT CATEGORY					
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : _____						
Misidentified ☐	☐	Past Due ☐							

4.0 WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D044-662-011 Bearpaw Installation	4.6 lb 2.10 kg	0.0 in 0.0 m	0.0 in-lb 0.0 m-kg	128.1 in 3.25 m	589 in-lb 6.8 m-kg
D044-662-013 Bearpaw Installation	6.2 lb 2.81 kg	0.0 in 0.0 m	0.0 in-lb 0.0 m-kg	129.1 in 3.28 m	800 in-lb 9.2 m-kg
D044-662-041 Wearplate Kit (installed on D044-662-011/-013 Bearpaw Kit)*	1.6 lb 0.73 kg	0.0 in 0.0 m	0.0 in-lb 0.0 m-kg	128.3 in 3.26 m	205 in-lb 2.4 m-kg

*D044-662-041 weight and balance should be added to D044-662-011/-013 kits

5.0 PARTS LIST

Qty -011	Qty -013	Qty -041	Part Number	Description
X			D044-662-011	BEARPAW INSTALLATION
	X		D044-662-013	BEARPAW INSTALLATION
		X	D044-662-041	WEARPLATE KIT
		4	D2274	Radius Block
8	8	4	D2529	Washer
2			D3075-1	Bearpaw
	2		D3529-1	Bearpaw
4	4		D3556-1	Clamp
		4	D3565-1	Wearplate
8	8		D3601-1	Radius Block
4	4		D4953-1	Cushion (Replaces D2182B045 Cushion)
		4	AN4-12A	Bolt
4	4		AN4-14A	Bolt
4	4		AN4-15A	Bolt
		4	AN4-16A	Bolt
8	8		NAS1149D0463J	Washer (Replaces AN960JD416 Washer)
8	8	4	MS21042L4	Nut (or MS21042-4)